

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/684,792	10/14/2003	James Vlaanderen	00868P0026US	2996
32116	7590 07/18/2005		EXAMINER	
	ILLIPS, KATZ, CLAR	ADAMS, GR	ADAMS, GREGORY W	
500 W. MADISON STREET SUITE 3800 CHICAGO, IL 60661			ART UNIT	PAPER NUMBER
			3652	

DATE MAILED: 07/18/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
·					
Office Action Summary	10/684,792	VLAANDEREN ET AL.			
	Examiner	Art Unit			
The MAILING DATE of this communication app	Gregory W. Adams	3652			
Period for Reply	rears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timed within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	ely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>17 March 2005</u> .					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)  Claim(s) 1-18 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-18 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1)  Notice of References Cited (PTO-892)	. 4) Interview Summary	(PTO.413)			
Notice of References Cited (PTO-692)     Notice of Draftsperson's Patent Drawing Review (PTO-948)     Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)     Paper No(s)/Mail Date	Paper No(s)/Mail Da				

Application/Control Number: 10/684,792 Page 2

Art Unit: 3652

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Foote (US 2,656,058) in view of Babb (US 2001/0012480).
- 3. With respect to claim 1, Foote discloses a parallelogram linkage comprising short links 4, 31, 10 and long links 8, 9 and having one pivot pivoted to a frame 4, 6 defining a short link 4, 31 and a second pivot pivoted to a short link 10 joined to an object support 21. Foote discloses engaging an underlying terrain with an object support 21, but does not disclose a pair of parallelogram linkages for moving two movable elongated object supports.
- 4. Babb discloses an elongated vehicle frame, ground engaging means on an elongated vehicle frame, two movable elongated object supports 40, 50 and long and short links 26, 28, 30, 32, 51, 52, 53, 54, 55 which along with extendable motors 47, 56 move elongated object supports between a loaded position and an unloading position. Babb teaches transporting rows and tiers of hay bales from site to site because movable elongated object are not subject to snapping or breaking over strapping down bales. Para. [0002] para [00013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Foote to include a vehicle with movable elongated object supports and linkages, as per

Art Unit: 3652

the teachings of Babb, because straps when transporting hay bales from one site and delivering to a second site.

Page 3

- 5. With respect to claims 2-3 & 6-7, Babb discloses both object supports are located to a same side and long links 32 of one pair are longer than long links 40 of another pair. Further, Babb discloses one object support is located one side and one to an opposite side. Babb teaches transporting rows and tiers of hay bales from site to site because movable elongated object are not subject to snapping or breaking over the preferred method to that time, straps. Para. [0002] para. [00013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Foote to include a vehicle with movable elongated object supports and linkages, as per the teachings of Babb, because straps when transporting hay bales from one site and delivering to a second site.
- 6. With respect to claim 5, Babb discloses that object supports 40, 50 rest on a frame. Babb teaches transporting rows and tiers of hay bales from site to site because movable elongated object are not subject to snapping or breaking over the preferred method to that time, straps. Para. [0002] para [00013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Foote to include a vehicle with movable elongated object supports and linkages, as per the teachings of Babb, because straps when transporting hay bales from one site and delivering to a second site.
- 7. With respect to claim 8-9, Babb discloses that lower object supports are shorter than upper object supports (FIG. 1 below), and discloses sharing a first pivot 14. It is

Page 4

Art Unit: 3652

noted that Babb discloses eight (8) object supports such that two (2) lower object supports and linkages thereof share pivot 14, and long links 45 of upper most object support 40 are longer than long links 55 of lowermost object support 50. Babb teaches an apparatus that transports cylindrical objects in rows and tiers, with the ability to pivot rotatably object supports from a loaded position to an unloading position. Para. [0002] – para. [00013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Foote to include shared linkages and object supports which are shorter and longer and longer uppermost long links, as per the teachings of Babb, to transport cylindrical objects in rows and tiers, with the ability to pivot rotatably object supports from a loaded position to an unloading position.




FIG. 1

Art Unit: 3652

8. With respect to claim 10, Foote discloses an extendable motor 13 interconnecting opposite corners.

9. Claims 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Foote (US 2,656,058) and Babb (US 2001/0012480) in view of Basala (US 5,671,850). Basala discloses an object support comprising end plates 64 that define a short link and long links 68 to which the second two pivots are attached. Basala teaches modifying the object support of Foote to provide an improved storage rack apparatus, mountable to a movable rack for pivoting into an unload position or pivoting upwards to a loaded position, the end plates assisting long links 68 to pivot. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the object support of Foote to include end plates which define a short link, as per the teachings of Basala, such that an object support pivots into an unload position or pivoting upwards to a loaded position, the end plates assisting long links.

Page 5

- 10. Claims 13 & 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Foote (US 2,656,058) in view of Babb (US 2001/0012480).
- 11. With respect to claim 13, Foote discloses a parallelogram linkage comprising short links 4, 31, 10 and long links 8, 9 and having one pivot pivoted to a frame 4, 6 defining a short link 4, 31 and a second pivot pivoted to a short link 10 joined to an object support 21. Foote discloses engaging an underlying terrain with an object support 21, but does not disclose a pair of parallelogram linkages for moving two movable elongated object supports.

Art Unit: 3652

12. Babb discloses an elongated vehicle frame, ground engaging means on an elongated vehicle frame, two movable elongated object supports 40, 50 and long and short links 26, 28, 30, 32, 51, 52, 53, 54, 55 which along with extendable motors 47, 56 move elongated object supports between a loaded position and an unloading position, where a part of the frame forms a short link and a part of an object support 40, 50 forms a short link. Babb teaches transporting rows and tiers of hay bales from site to site because movable elongated object are not subject to snapping or breaking over strapping down bales. Para. [0002] – para [00013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Foote to include a vehicle with movable elongated object supports and linkages, as per the teachings of Babb, because straps when transporting hay bales from one site and delivering to a second site.

Page 6

13. With respect to claim 14, Babb discloses that lower object supports are shorter than upper object supports (FIG. 1 below), and discloses sharing a first pivot 14. It is noted that Babb discloses eight (8) object supports such that two (2) lower object supports and linkages thereof share pivot 14, and long links 45 of upper most object support 40 are longer than long links 55 of lowermost object support 50. Babb teaches an apparatus that transports cylindrical objects in rows and tiers, with the ability to pivot rotatably object supports from a loaded position to an unloading position. Para. [0002] – para. [00013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Foote to include shared linkages and object supports which are shorter and longer and longer uppermost

long links, as per the teachings of Babb, to transport cylindrical objects in rows and tiers, with the ability to pivot rotatably object supports from a loaded position to an unloading position.

- 14. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Foote (US 2,656,058) and Babb (US 2001/0012480) in view of Ruhl (US 5,244,313). Ruhl discloses placement of a cylinder 12 within a long link channel 10 to secure piston-cylinder 12 movement in a prescribed direction, substantially perpendicular to the longitudinal centerline of the object support. Col. 4, Ins. 10-45. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Foote to include a cylinder within a long link channel, as per the teachings of Ruhl, to secure piston-cylinder movement in a prescribed direction, substantially perpendicular to the longitudinal center line of the object support.
- 15. Claims 16 & 18 are rejected under 35 U.S.C. 103(a) as being anticipated by Hagenbuch et al. (US 6,439,668) in view of Foote (US 2,656,058) and Babb (US 2001/0012480).
- 16. With respect to claim 16, referring to FIGS. 17-26 Hagenbuch et al. disclose a transporter and storage unit 110 having a frame 116, cross members, elongated stringer, upright element 120, cross members 121, linkages comprising four long links 180,184, four intermediate links 124,186,188 and short links 121,122,123, four (4) cradles 122,30, two for each side, stub shafts for connecting linkage, end plats 124 that define a short link. It is noted that Hagenbuch et al. presumes that the connection from the cradles 122,124,30 to linkages 18, 182 requires a stub shaft.

Art Unit: 3652

17. Foote discloses parallelogram linkages comprising short links 4, 31, 10 and long links 8, 9 and having one pivot pivoted to a frame 4, 6 defining a short link 4, 31 and a second pivot pivoted to a short link 10 joined to an object support 21, and may be formed of channels with a square cross section. Col. 3, Ins. 15-35. Foote discloses engaging an underlying terrain with an object support 21, but does not disclose a pair of parallelogram linkages for moving two movable elongated object supports. Foote teaches a vehicle loading and unloading mechanism with a pantograph linkage keeps the object support in a horizontal orientation for stability when loading and unloading a truck. Col. 3, Ins. 10-60; col. 4, Ins. 35-65. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the linkages of Hagenbuch to include parallelogram linkages, as per the teachings of Foote, to maintain an object support in a stable horizontal orientation.

Page 8

18. Babb discloses a frame having eight (8) cradles to transport hay bales in a 2x2 orientation on a vehicle front and rear ends, wherein object supports 40, 50 articulate on long and short links to position cradle supports near the ground. It is noted that Hagenbuch discloses touching object supports on to the underlying terrain. Babb teaches 2x2 bale orientation for transporting rows and tiers of hay bales from site to site because movable elongated object are not subject to snapping or breaking over strapping down bales. Para. [0002-0013]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Hagenbuch to include a vehicle with movable elongated object supports and

Art Unit: 3652

linkages, as per the teachings of Babb, because straps when transporting hay bales from one site and delivering to a second site.

Page 9

- 19. With respect to claim 18, referring to FIGS. 17-26 Hagenbuch et al. disclose a support member 122,30 are spaced bars 125, 126.
- 20. Claim 17 is rejected under 35 U.S.C. 103(a) as being anticipated by Hagenbuch et al. (US 6,439,668) in view of Foote (US 2,656,058), Babb (US 2001/0012480) and Ruhl (US 5,244,331).
- 21. Ruhl discloses placement of a cylinder 12 within a long link channel 10 to secure piston-cylinder 12 movement in a prescribed direction, substantially perpendicular to the longitudinal centerline of the object support. Col. 4, Ins. 10-45. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Hagenbuch et al. to include a cylinder within a long link channel, as per the teachings of Ruhl, to secure piston-cylinder movement in a prescribed direction, substantially perpendicular to the longitudinal center line of the object support.

## Conclusion

22. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US D329,829 to Mangino et al.

US 4,573,855 to Braswell

US 4,200,195 to Hager

US 3,352,594 to Miller

US 3,700,126 to Corley

Application/Control Number: 10/684,792 Page 10

Art Unit: 3652

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory W. Adams whose telephone number is (571) 272-8101. The examiner can normally be reached on M-Th, 8:30-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen Lillis can be reached on (571) 272-6928. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**GWA** 

EILEEN D. LILLIS SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600